

# LASER CUT PENDANT

---



## CONSTRUCTION:

- Inner fabric shade
- Recessed white acrylic diffuser
- Five unique laser cut patterns
- 36 in. standard stem kit includes 6 in., 12 in. and 18 in. sections for adjustability
- Additional stem sections available, maximum height 12 ft.
- 12 ft. of field adjustable wire included


## ELECTRICAL:

- 120V medium base sockets
- Integrated LED option (50,000 Hrs., 90 CRI, CCT 3000K)

## CERTIFICATION:

- cULus Listed (medium base)
- ETL Listed (LED)

# LASER CUT PENDANT



Specifications			Medium Base	Integrated LED	
Size	DIA.	H	Sockets	Source Lumens	Wattage
01	20"	6"	3 x 75W max	3200	44W
02	24"	8"	3 x 100W max	3200	44W
03	30"	12"	3 x 100W max	4400	55W

## Ordering

Model	Size	Lamping	Suggested - Finish	Suggested - Fabric	- Laser Cut Pattern
SLASP	01 = 20" 02 = 24" 03 = 30"	MB Medium Base Socket L1 LED (120V TRIAC Dimming) L2 LED (120-277V 0-10V Dimming)	CP Chrome Powder Coat RB Hand-Rubbed Bronze	203 Black Silk Dupioni 206 Ivory Silk Dupioni 209 White Silk Dupioni	CH Cross Hatch CI Circles Interlocking DI Diamond DR Droplets MI Minnesota

Example: SLASP01MB-CP-206-MI

All specifications and dimensions subject to change without notice.

## Laser Cut Pattern Options



CH  
Cross Hatch



CI  
Circles  
Interlocking



DI  
Diamond



DR  
Droplets




MI  
Minnesota


# LASER CUT PENDANT

## FINISHES

### Painted Metal



### Etched Metal



## FABRICS

### Silks



### Linens



### Vern Yip Fabrics



### Organza

