

ATHENS ROUND PENDANT



CONSTRUCTION:

- Fabric shade
- White acrylic bottom diffuser with decorative crystal finial
- Crystal stem accents
- 36 in. standard stem kit includes 6 in., 12 in. and 18 in. sections for adjustability
- Additional stem sections available, maximum height 12 ft.
- 12 ft. of field adjustable wire included



ELECTRICAL:

- 120V medium base sockets
- Integrated LED option (50,000 Hrs., 90 CRI, CCT 3000K)

CERTIFICATION:

- cULus Listed (medium base)
- ETL Listed (LED)

ATHENS ROUND PENDANT



Specifications			Medium Base	Integrated LED	
Size	DIA.	H	Sockets	Source Lumens	Wattage
01	16"	8"	2 x 75W max	2400	30W
02	24"	12"	3 x 75W max	3200	44W
03	32"	16"	3 x 100W max	4400	55W

Ordering

Model	Size	Lamping	Suggested - Finish*	Suggested - Fabric*
SATHP	01 = 16"	MB Medium Base Socket	BN Brushed Nickel	203 Black Silk Dupioni
	02 = 24"	L1 LED (120V TRIAC Dimming)	PN Polished Nickel	206 Ivory Silk Dupioni
	03 = 32"	L2 LED (120-277V 0-10V Dimming)		209 White Silk Dupioni


Example: SATHP01L2-PN-206

All specifications and dimensions subject to change without notice.


ATHENS ROUND PENDANT

FINISHES


Painted Metal



Plated Metal



Etched Metal



FABRICS

Silks



Linens



Vern Yip Fabrics



Organza

