

Report No.: PKS230607060-10

Test Time: 2023/6/8 17:34


Luminaire Property

Luminaire Manufacturer: AFX,INC	
Luminaire Category: SORS051914LAJUDKB	
Luminaire Description: Outdoor Non-Cutoff	Lamp Catalog: Wall- Mounted Area Luminaires
Lamp Description: S01	Number of Lamps:
Lumens per Lamp:	Luminous Length (mm): 445
Luminous Width (mm): 92	Luminous Height (mm): 80
Voltage: 120.0 V	Current: 0.149 A
Power: 17.48 W	Power Factor: 0.980


Photometric Results

CIE Class: General Diffuse	Total Rated Lamp Lumens: 953.2 lm
Measurement Flux: 953.2 lm	Efficiency: 100%
Downward Ratio: 52%	Upward Ratio: 48%
Field Angle(C0/C180,C90/C270,C45/C225,C135/315): 339.3, 168.4, 292.7, 270.8	
Beam Angle(C0/C180,C90/C270,C45/C225,C135/315): 303.5, 170.7, 178.3, 173.3	
Luminaire Efficacy Rating (LER): 54.58	C0r0 Intensity: 17.7 cd
Max. Intensity: 172.2 cd	Pos of Max. Intensity: H90 V81
S/MH(C0/C180): 3.96	S/MH(C90/C270): 3.65

Picture Of Luminaire



Luminous Intensity Distribution Curve



Unit: cd

Average Diffuse Angle(50%): 237.1°

— C0-C180 — C90-C270

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp

Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m



Temperature: 25.1 °C

Humidity: 49

Operator: Jade

Inspector:


Luminous Intensity Distribution Curve



C Plane (°):0.0-360.0: 22.5
 Test Lab: Bay Area Compliance Laboratories Corp
 Test Type: TYPE C
 Temperature: 25.1 'C
 Operator: Jade

Gamma Plane (°):0.0-180.0:1.0
 Test Device: GPM-1900
 Distance: 14.210 m
 Humidity: 49
 Inspector:

Luminous Intensity Distribution Curve(cd/klm)



C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp Test Device: GPM-1900

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Distance: 14.210 m


Humidity: 49

Inspector:

Coefficients Of Utilization - Zonal Cavity Method


RC	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.5	0.5	0.5	0.3	0.3	0.3	0.1	0.1	0.1	0
RW	0.7	0.5	0.3	0.1	0.7	0.5	0.3	0.1	0.5	0.3	0.1	0.5	0.3	0.1	0.5	0.3	0.1	0
RCR	RF = 0.2																	
0	1.08	1.08	1.08	1.08	.99	.99	.99	.99	.84	.84	.84	.70	.70	.70	.58	.58	.58	.52
1	.92	.86	.80	.74	.85	.79	.73	.68	.65	.61	.57	.53	.50	.47	.42	.40	.37	.32
2	.82	.72	.63	.56	.75	.66	.58	.52	.54	.48	.43	.43	.39	.35	.34	.30	.27	.22
3	.73	.61	.52	.44	.67	.56	.47	.41	.46	.39	.34	.37	.31	.27	.28	.24	.21	.16
4	.66	.53	.43	.36	.60	.48	.40	.33	.40	.33	.27	.32	.26	.22	.24	.20	.16	.12
5	.60	.46	.37	.29	.55	.42	.34	.27	.35	.28	.22	.28	.22	.18	.21	.17	.13	.10
6	.55	.41	.32	.25	.50	.37	.29	.23	.31	.24	.19	.25	.19	.15	.19	.14	.11	.08
7	.51	.37	.27	.21	.46	.33	.25	.19	.28	.21	.16	.22	.17	.13	.17	.13	.09	.06
8	.47	.33	.24	.18	.43	.30	.22	.17	.25	.18	.14	.20	.15	.11	.15	.11	.08	.05
9	.43	.30	.21	.16	.40	.27	.20	.14	.23	.16	.12	.18	.13	.09	.14	.10	.07	.05
10	.40	.27	.19	.14	.37	.25	.18	.13	.21	.15	.10	.17	.12	.08	.13	.09	.06	.04

Spacing Criteria (0-180): 3.96
 Spacing Criteria (90-270): 3.65
 Spacing Criteria (Diagonal): 3.62



C Plane (°):0.0-360.0: 22.5	Gamma Plane (°):0.0-180.0:1.0
Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)	Test Device: GPM-1900
Test Type: TYPE C	Distance: 14.210 m
Temperature: 25.1 'C	Humidity: 49
Operator: Jade	Inspector:

IsoLux Plot



Mounting Height: 10.0m Max Lux(100%): 0.7 lx

— (1%): 0.0 lx	— (2%): 0.0 lx
— (5%): 0.0 lx	— (10%): 0.1 lx
— (20%): 0.1 lx	— (50%): 0.3 lx

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (UK) Gamma Plane (°):0.0-180.0:1.0

Test Type: TYPE C Test Device: GPM-1900

Temperature: 25.1 'C Distance: 14.210 m



Operator: Jade Humidity: 49

Inspector:

Lum Limit Curve

Dazzle	Quality	Illuminance (lx)							
		2000	1000	500	<=300				
1.15	A								
1.50	B								
1.85	C								
2.20	D								
2.55	E								

a b c d e f g h



L(cd/sq.m)	G45	G50	G55	G60	G65	G70	G75	G80	G85
C0	1246	1333	1430	1542	1669	1808	1961	2133	2328
C90	3896	4461	5104	5874	6810	8019	9633	11988	15778
C180	1707	1843	1984	2127	2281	2443	2620	2811	3032
C270	8	8	10	13	15	24	29	44	66

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m


Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Illuminance at a Distance



C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade


Gamma Plane (°):0.0-180.0:1.0

Distance: 14.210 m

Humidity: 49

Inspector:

Vertical IsoLux Plot



Lowest(m): 1.0m	Highest(m): 11.0m	Max Lux: 39.1 lx
(1%): 0.4 lx	(2%): 0.8 lx	(10%): 3.9 lx
(5%): 2.0 lx	(20%): 7.8 lx	(50%): 19.6 lx

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Test Device: GPM-1900


Distance: 14.210 m

Humidity: 49

Inspector:

The Average Illuminance Effective Figure

Flux Out: 934.15lm



C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Type: TYPE C

Temperature: 25.1 °C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Test Device: GPM-1900

Distance: 14.210 m

Humidity: 49

Inspector:

UGR Table

Reflectance:										
Ceiling (cavity)	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Wall	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Reference plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
X=2H Y=2H	11.6	12.6	12.4	13.5	14.7	13.9	14.9	14.8	15.8	17.0
3H	14.3	15.3	15.2	16.2	17.4	17.3	18.2	18.2	19.1	20.3
4H	15.7	16.6	16.6	17.5	18.7	19.1	19.9	20.0	20.9	22.1
6H	17.1	17.9	18.0	18.8	20.1	20.9	21.7	21.8	22.7	23.9
8H	17.7	18.5	18.7	19.5	20.7	21.9	22.7	22.8	23.6	24.9
12H	18.4	19.1	19.3	20.1	21.4	22.9	23.6	23.8	24.6	25.8
X=4H Y=2H	13.0	13.9	13.9	14.8	16.1	14.6	15.4	15.5	16.4	17.6
3H	15.9	16.7	16.8	17.6	18.9	18.0	18.8	19.0	19.8	21.0
4H	17.4	18.1	18.4	19.1	20.4	19.9	20.6	20.9	21.6	22.9
6H	18.9	19.5	19.9	20.5	21.8	21.9	22.6	22.9	23.5	24.8
8H	19.6	20.2	20.6	21.2	22.5	23.0	23.5	24.0	24.5	25.9
12H	20.3	20.8	21.3	21.8	23.1	24.1	24.6	25.0	25.6	26.9
X=8H Y=4H	18.3	18.9	19.3	19.9	21.2	20.3	20.9	21.3	21.9	23.2
6H	20.1	20.6	21.1	21.6	22.9	22.5	23.0	23.5	24.0	25.3
8H	21.0	21.4	22.0	22.4	23.8	23.7	24.1	24.7	25.1	26.5
12H	21.8	22.2	22.8	23.2	24.6	24.9	25.3	25.9	26.3	27.7
X=12H Y=4H	18.5	19.1	19.5	20.1	21.4	20.4	20.9	21.3	21.9	23.2
6H	20.4	20.8	21.4	21.9	23.2	22.6	23.0	23.6	24.1	25.4
8H	21.4	21.8	22.4	22.8	24.2	23.9	24.2	24.9	25.3	26.6
Variations with the observer position at spacings:										
S=1.0H	+0.3/-0.3					+0.6/-0.7				
S=1.5H	+0.5/-0.6					+1.1/-1.3				
S=2.0H	+0.8/-1.0					+1.6/-2.0				

Calculate in accordance with CIE Pub.117. The table is revised with $953lm$ ($8\log(F/F_0) = -0.2$).

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Zonal Lumen

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
0.0-1.0	17.7	0.0	0.0	0.00	0.00
1.0-2.0	17.7	0.1	0.1	0.01	0.01
2.0-3.0	17.9	0.1	0.2	0.01	0.02
3.0-4.0	18.3	0.1	0.3	0.01	0.03
4.0-5.0	18.8	0.2	0.4	0.02	0.05
5.0-6.0	19.4	0.2	0.6	0.02	0.07
6.0-7.0	20.2	0.3	0.9	0.03	0.09
7.0-8.0	21.1	0.3	1.2	0.03	0.13
8.0-9.0	22.1	0.4	1.6	0.04	0.16
9.0-10.0	23.2	0.4	2.0	0.04	0.21
10.0-11.0	24.3	0.5	2.5	0.05	0.26
11.0-12.0	25.5	0.6	3.0	0.06	0.32
12.0-13.0	26.8	0.6	3.7	0.07	0.38
13.0-14.0	28.0	0.7	4.4	0.08	0.46
14.0-15.0	29.2	0.8	5.2	0.08	0.54
15.0-16.0	30.5	0.9	6.1	0.09	0.64
16.0-17.0	31.7	1.0	7.1	0.10	0.74
17.0-18.0	33.0	1.1	8.1	0.11	0.85
18.0-19.0	34.3	1.2	9.3	0.13	0.98
19.0-20.0	35.8	1.3	10.6	0.14	1.12
20.0-21.0	37.3	1.4	12.1	0.15	1.27
21.0-22.0	38.8	1.6	13.6	0.16	1.43
22.0-23.0	40.2	1.7	15.3	0.18	1.61
23.0-24.0	41.7	1.8	17.1	0.19	1.80
24.0-25.0	43.1	2.0	19.1	0.21	2.00
25.0-26.0	44.6	2.1	21.2	0.22	2.23
26.0-27.0	46.1	2.3	23.5	0.24	2.46
27.0-28.0	47.6	2.4	25.9	0.25	2.72
28.0-29.0	49.1	2.6	28.4	0.27	2.98
29.0-30.0	50.5	2.7	31.2	0.29	3.27
30.0-31.0	51.9	2.9	34.1	0.30	3.57
31.0-32.0	53.3	3.1	37.1	0.32	3.89
32.0-33.0	54.7	3.2	40.3	0.34	4.23
33.0-34.0	56.1	3.4	43.7	0.36	4.59
34.0-35.0	57.5	3.6	47.3	0.37	4.96
35.0-36.0	58.9	3.7	51.1	0.39	5.36

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test No: GPM-1900

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Distance: 14.210 m

Humidity: 49

Inspector:

Zonal Lumen (Continue 1)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
36.0-37.0	60.2	3.9	55.0	0.41	5.77
37.0-38.0	61.6	4.1	59.1	0.43	6.20
38.0-39.0	63.0	4.3	63.4	0.45	6.65
39.0-40.0	64.3	4.5	67.9	0.47	7.12
40.0-41.0	65.6	4.7	72.6	0.49	7.61
41.0-42.0	66.9	4.9	77.4	0.51	8.12
42.0-43.0	68.2	5.1	82.5	0.53	8.65
43.0-44.0	69.4	5.2	87.7	0.55	9.20
44.0-45.0	70.7	5.4	93.1	0.57	9.77
45.0-46.0	71.8	5.6	98.7	0.59	10.36
46.0-47.0	73.0	5.8	104.6	0.61	10.97
47.0-48.0	74.1	6.0	110.5	0.63	11.60
48.0-49.0	75.2	6.2	116.7	0.65	12.24
49.0-50.0	76.2	6.4	123.1	0.67	12.91
50.0-51.0	77.3	6.5	129.6	0.69	13.60
51.0-52.0	78.3	6.7	136.3	0.71	14.30
52.0-53.0	79.3	6.9	143.2	0.72	15.03
53.0-54.0	80.3	7.1	150.3	0.74	15.77
54.0-55.0	81.3	7.3	157.6	0.76	16.53
55.0-56.0	82.3	7.4	165.0	0.78	17.31
56.0-57.0	83.2	7.6	172.6	0.80	18.11
57.0-58.0	84.1	7.8	180.4	0.82	18.93
58.0-59.0	85.0	7.9	188.3	0.83	19.76
59.0-60.0	85.9	8.1	196.5	0.85	20.61
60.0-61.0	86.8	8.3	204.7	0.87	21.48
61.0-62.0	87.6	8.4	213.2	0.89	22.37
62.0-63.0	88.4	8.6	221.8	0.90	23.27
63.0-64.0	89.2	8.8	230.5	0.92	24.19
64.0-65.0	89.9	8.9	239.4	0.93	25.12
65.0-66.0	90.7	9.0	248.5	0.95	26.07
66.0-67.0	91.4	9.2	257.7	0.96	27.03
67.0-68.0	92.0	9.3	267.0	0.98	28.01
68.0-69.0	92.7	9.5	276.5	0.99	29.00
69.0-70.0	93.3	9.6	286.0	1.01	30.01
70.0-71.0	93.8	9.7	295.7	1.02	31.03
71.0-72.0	94.3	9.8	305.5	1.03	32.05

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Test Device: GPM-1900

Distance: 14.210 m

Humidity: 49

Inspector:

Zonal Lumen (Continue 2)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
72.0-73.0	94.8	9.9	315.5	1.04	33.10
73.0-74.0	95.3	10.0	325.5	1.05	34.15
74.0-75.0	95.7	10.1	335.6	1.06	35.21
75.0-76.0	96.1	10.2	345.8	1.07	36.28
76.0-77.0	96.4	10.3	356.1	1.08	37.36
77.0-78.0	96.7	10.4	366.4	1.09	38.44
78.0-79.0	97.0	10.4	376.9	1.09	39.54
79.0-80.0	97.2	10.5	387.3	1.10	40.64
80.0-81.0	97.4	10.5	397.9	1.11	41.74
81.0-82.0	97.5	10.6	408.5	1.11	42.85
82.0-83.0	97.6	10.6	419.1	1.11	43.96
83.0-84.0	97.7	10.6	429.7	1.12	45.08
84.0-85.0	97.7	10.7	440.4	1.12	46.20
85.0-86.0	97.7	10.7	451.1	1.12	47.32
86.0-87.0	97.6	10.7	461.7	1.12	48.44
87.0-88.0	97.5	10.7	472.4	1.12	49.56
88.0-89.0	97.4	10.7	483.1	1.12	50.68
89.0-90.0	97.2	10.7	493.8	1.12	51.80
90.0-91.0	97.0	10.6	504.4	1.12	52.92
91.0-92.0	96.9	10.6	515.0	1.11	54.03
92.0-93.0	96.7	10.6	525.6	1.11	55.14
93.0-94.0	96.5	10.6	536.2	1.11	56.25
94.0-95.0	96.3	10.5	546.7	1.10	57.35
95.0-96.0	96.0	10.5	557.2	1.10	58.45
96.0-97.0	95.7	10.4	567.6	1.09	59.55
97.0-98.0	95.4	10.4	578.0	1.09	60.64
98.0-99.0	95.0	10.3	588.3	1.08	61.72
99.0-100.0	94.6	10.2	598.5	1.07	62.79
100.0-101.0	94.2	10.2	608.7	1.07	63.86
101.0-102.0	93.7	10.1	618.7	1.06	64.91
102.0-103.0	93.2	10.0	628.7	1.05	65.96
103.0-104.0	92.7	9.9	638.6	1.04	67.00
104.0-105.0	92.1	9.8	648.4	1.03	68.02
105.0-106.0	91.5	9.7	658.1	1.01	69.04
106.0-107.0	90.9	9.6	667.6	1.00	70.04
107.0-108.0	90.3	9.4	677.1	0.99	71.03

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Test Device: GPM-1900

Distance: 14.210 m

Humidity: 49

Inspector:

Zonal Lumen (Continue 3)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
108.0-109.0	89.7	9.3	686.4	0.98	72.01
109.0-110.0	89.0	9.2	695.6	0.96	72.97
110.0-111.0	88.3	9.1	704.7	0.95	73.92
111.0-112.0	87.5	8.9	713.6	0.94	74.86
112.0-113.0	86.8	8.8	722.4	0.92	75.78
113.0-114.0	86.0	8.6	731.0	0.91	76.69
114.0-115.0	85.2	8.5	739.5	0.89	77.58
115.0-116.0	84.3	8.3	747.9	0.88	78.46
116.0-117.0	83.5	8.2	756.1	0.86	79.32
117.0-118.0	82.6	8.0	764.1	0.84	80.16
118.0-119.0	81.7	7.9	772.0	0.83	80.99
119.0-120.0	80.8	7.7	779.7	0.81	81.80
120.0-121.0	79.9	7.5	787.2	0.79	82.59
121.0-122.0	78.9	7.4	794.6	0.77	83.36
122.0-123.0	77.9	7.2	801.8	0.76	84.12
123.0-124.0	76.9	7.0	808.9	0.74	84.86
124.0-125.0	75.9	6.9	815.7	0.72	85.58
125.0-126.0	74.8	6.7	822.4	0.70	86.28
126.0-127.0	73.8	6.5	828.9	0.68	86.96
127.0-128.0	72.7	6.3	835.2	0.66	87.62
128.0-129.0	71.7	6.2	841.4	0.65	88.27
129.0-130.0	70.6	6.0	847.4	0.63	88.90
130.0-131.0	69.5	5.8	853.2	0.61	89.50
131.0-132.0	68.5	5.6	858.8	0.59	90.09
132.0-133.0	67.3	5.4	864.2	0.57	90.66
133.0-134.0	66.2	5.3	869.5	0.55	91.22
134.0-135.0	65.0	5.1	874.6	0.53	91.75
135.0-136.0	63.8	4.9	879.5	0.51	92.27
136.0-137.0	62.7	4.7	884.2	0.50	92.76
137.0-138.0	61.5	4.6	888.8	0.48	93.24
138.0-139.0	60.4	4.4	893.2	0.46	93.70
139.0-140.0	59.2	4.2	897.4	0.44	94.14
140.0-141.0	57.9	4.0	901.4	0.42	94.57
141.0-142.0	56.7	3.9	905.3	0.41	94.97
142.0-143.0	55.3	3.7	909.0	0.39	95.36
143.0-144.0	53.9	3.5	912.5	0.37	95.73

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Distance: 14.210 m

Humidity: 49

Inspector:

Zonal Lumen (Continue 4)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
144.0-145.0	52.6	3.3	915.8	0.35	96.08
145.0-146.0	51.1	3.2	919.0	0.33	96.41
146.0-147.0	49.6	3.0	922.0	0.32	96.73
147.0-148.0	48.2	2.8	924.9	0.30	97.03
148.0-149.0	46.7	2.7	927.5	0.28	97.31
149.0-150.0	45.3	2.5	930.0	0.26	97.57
150.0-151.0	43.8	2.4	932.4	0.25	97.82
151.0-152.0	42.4	2.2	934.6	0.23	98.05
152.0-153.0	40.8	2.1	936.7	0.22	98.27
153.0-154.0	39.3	1.9	938.6	0.20	98.47
154.0-155.0	37.7	1.8	940.4	0.19	98.66
155.0-156.0	36.1	1.6	942.0	0.17	98.83
156.0-157.0	34.5	1.5	943.6	0.16	98.99
157.0-158.0	32.9	1.4	944.9	0.14	99.13
158.0-159.0	31.3	1.3	946.2	0.13	99.26
159.0-160.0	29.5	1.1	947.3	0.12	99.38
160.0-161.0	27.7	1.0	948.3	0.11	99.49
161.0-162.0	25.9	0.9	949.2	0.09	99.58
162.0-163.0	23.9	0.8	950.0	0.08	99.67
163.0-164.0	21.9	0.7	950.7	0.07	99.74
164.0-165.0	19.9	0.6	951.3	0.06	99.80
165.0-166.0	17.7	0.5	951.8	0.05	99.85
166.0-167.0	15.5	0.4	952.2	0.04	99.89
167.0-168.0	13.2	0.3	952.5	0.03	99.93
168.0-169.0	10.9	0.2	952.7	0.03	99.95
169.0-170.0	8.8	0.2	952.9	0.02	99.97
170.0-171.0	6.7	0.1	953.0	0.01	99.98
171.0-172.0	4.9	0.1	953.1	0.01	99.99
172.0-173.0	3.4	0.0	953.2	0.01	99.99
173.0-174.0	2.2	0.0	953.2	0.00	100.00
174.0-175.0	1.3	0.0	953.2	0.00	100.00
175.0-176.0	0.7	0.0	953.2	0.00	100.00
176.0-177.0	0.4	0.0	953.2	0.00	100.00
177.0-178.0	0.1	0.0	953.2	0.00	100.00
178.0-179.0	0.0	0.0	953.2	0.00	100.00
179.0-180.0	0.0	0.0	953.2	0.00	100.00

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test No: GPM-1900

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Distance: 14.210 m

Humidity: 49

Inspector:

Candlepower Table

Unit: cd

G\C	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5
G0.0	17.7	17.7	17.7	17.7	17.7	17.7	17.7	17.7	17.7	17.7
G1.0	17.2	18.3	19.3	20.0	20.7	20.6	20.0	19.3	18.5	17.2
G2.0	16.9	19.1	21.1	22.3	23.4	23.4	22.3	20.9	19.5	17.0
G3.0	17.0	20.2	23.0	24.7	26.1	26.1	25.0	22.7	20.7	17.0
G4.0	17.4	21.6	25.1	27.4	28.9	28.9	27.4	24.9	22.3	17.3
G5.0	18.0	23.1	27.3	30.0	32.0	31.7	29.9	26.9	24.0	17.5
G6.0	18.8	24.8	30.0	32.6	34.8	34.8	32.4	29.1	26.0	17.6
G7.0	19.8	26.5	32.3	35.5	37.6	37.6	35.2	31.7	27.9	17.4
G8.0	21.4	28.4	34.9	38.3	40.7	40.5	37.7	34.1	29.7	17.1
G9.0	22.9	30.3	37.0	41.1	43.5	43.3	40.4	36.6	31.6	16.6
G10.0	24.5	32.5	39.4	43.8	46.1	46.2	43.0	39.1	33.4	15.9
G11.0	26.0	34.9	42.2	46.6	49.0	49.0	45.4	41.7	35.3	15.1
G12.0	27.5	37.1	45.1	49.4	51.8	51.9	48.1	44.0	37.3	14.1
G13.0	29.1	39.8	47.2	52.1	54.7	54.8	50.8	46.7	39.1	12.9
G14.0	30.5	42.6	49.2	54.9	57.4	57.4	53.3	49.1	40.8	11.4
G15.0	32.1	45.1	51.5	57.5	60.1	60.1	55.9	51.6	42.8	10.0
G16.0	33.6	47.3	53.9	60.3	62.9	62.8	58.3	53.9	44.5	8.4
G17.0	35.1	49.4	56.4	62.9	65.5	65.6	60.7	56.2	46.3	6.8
G18.0	36.4	52.0	59.0	65.4	68.0	68.1	63.2	58.8	48.1	5.4
G19.0	37.9	54.3	61.3	68.2	71.0	70.9	66.0	61.1	50.0	4.5
G20.0	39.3	57.0	63.7	70.7	73.7	73.6	68.7	63.8	51.8	3.7
G21.0	40.6	59.3	66.5	73.2	76.5	76.3	71.3	66.1	53.5	3.0
G22.0	42.1	61.6	69.0	76.2	79.0	78.9	73.9	68.4	55.3	2.5
G23.0	43.5	63.8	71.8	78.9	81.6	81.6	76.5	70.7	57.0	2.4
G24.0	44.8	66.2	74.3	81.4	84.1	84.1	78.9	72.9	58.9	2.6
G25.0	46.0	68.5	77.0	83.9	86.9	86.8	81.6	75.3	60.6	3.0
G26.0	47.3	70.8	79.6	86.5	89.3	89.0	84.1	77.7	62.3	3.7
G27.0	48.5	73.3	82.2	89.0	92.0	91.7	86.6	80.2	64.0	4.6
G28.0	49.8	75.7	84.8	91.5	94.6	94.4	89.1	82.4	65.8	5.6
G29.0	50.9	77.8	87.3	94.1	97.2	96.7	91.6	84.6	67.6	6.8
G30.0	52.0	80.2	89.8	96.5	99.4	99.3	93.8	86.8	69.3	8.1
G31.0	53.2	82.5	92.2	99.0	102.1	101.6	96.3	89.0	71.0	9.5
G32.0	54.4	84.7	94.8	101.4	104.6	104.0	98.7	91.4	72.6	10.9
G33.0	55.5	87.2	97.3	103.8	106.9	106.3	101.0	93.4	74.4	12.4
G34.0	56.5	89.4	99.7	106.2	109.2	108.8	103.2	95.7	76.0	14.0
G35.0	57.6	91.7	102.2	108.5	111.6	111.0	105.7	97.7	77.5	15.6
G36.0	58.7	93.8	104.6	110.7	113.9	113.3	107.8	99.8	79.1	17.6

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 1)

Unit: cd

G\C	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5
G37.0	59.8	96.0	106.9	113.0	116.3	115.5	110.3	101.9	80.7	19.5
G38.0	60.9	98.1	109.2	115.2	118.6	117.8	112.4	104.0	82.3	21.4
G39.0	61.9	100.1	111.5	117.3	120.7	120.1	114.5	105.9	83.7	23.0
G40.0	62.9	102.2	114.0	119.5	122.7	122.1	116.8	107.8	85.2	24.6
G41.0	63.9	104.2	116.0	121.6	124.9	124.3	118.9	109.7	86.6	26.3
G42.0	64.8	106.3	118.2	123.9	126.9	126.3	120.9	111.8	88.2	28.2
G43.0	65.7	108.4	120.4	125.9	129.1	128.4	122.8	113.6	89.7	30.5
G44.0	66.6	110.3	122.5	128.0	131.2	130.4	125.1	115.3	91.0	32.8
G45.0	67.4	112.2	124.8	130.0	133.1	132.3	127.0	117.2	92.4	34.5
G46.0	68.4	114.0	126.9	131.9	135.2	134.4	128.9	118.9	93.7	36.1
G47.0	69.2	115.8	128.9	133.8	137.1	136.1	130.7	120.6	95.0	37.4
G48.0	70.0	117.7	131.0	135.6	138.9	138.0	132.5	122.2	96.3	38.6
G49.0	70.7	119.4	132.9	137.6	140.6	139.8	134.4	123.9	97.5	39.8
G50.0	71.5	121.1	134.8	139.3	142.5	141.6	136.1	125.4	98.8	40.9
G51.0	72.3	122.9	136.9	141.0	144.2	143.2	138.0	127.0	99.9	42.0
G52.0	73.0	124.5	138.7	142.7	145.8	144.9	139.6	128.4	101.1	43.1
G53.0	73.7	126.1	140.5	144.3	147.5	146.4	141.3	129.9	102.2	44.4
G54.0	74.5	127.6	142.2	146.0	149.1	148.0	142.8	131.4	103.4	45.7
G55.0	75.3	129.3	143.8	147.5	150.6	149.6	144.3	132.8	104.5	47.1
G56.0	76.0	130.7	145.5	149.1	152.1	151.1	145.9	134.1	105.4	48.5
G57.0	76.9	132.1	147.1	150.5	153.7	152.4	147.3	135.4	106.4	50.1
G58.0	77.6	133.5	148.6	151.9	155.1	153.8	148.7	136.5	107.3	51.6
G59.0	78.3	134.8	150.2	153.3	156.4	155.1	150.0	137.8	108.2	53.2
G60.0	79.1	136.1	151.8	154.6	157.7	156.4	151.3	138.9	109.1	54.7
G61.0	79.8	137.4	153.1	155.9	158.9	157.6	152.5	140.1	109.9	56.5
G62.0	80.6	138.5	154.5	157.2	160.1	158.7	153.7	141.1	110.9	58.0
G63.0	81.3	139.9	155.9	158.3	161.2	159.9	155.0	142.1	111.6	59.6
G64.0	82.0	141.0	157.2	159.4	162.2	160.9	156.1	143.0	112.4	61.1
G65.0	82.7	142.0	158.3	160.4	163.3	161.9	157.1	144.0	113.0	62.7
G66.0	83.5	143.0	159.5	161.4	164.2	162.8	158.1	144.9	113.7	64.5
G67.0	84.1	144.0	160.6	162.3	165.2	163.8	159.0	145.6	114.3	66.0
G68.0	84.7	144.9	161.7	163.2	166.1	164.6	159.9	146.4	114.9	67.5
G69.0	85.3	145.7	162.6	164.2	167.0	165.4	160.7	147.2	115.4	69.1
G70.0	85.8	146.6	163.6	164.9	167.7	166.1	161.5	147.8	115.9	70.5
G71.0	86.4	147.4	164.4	165.6	168.4	166.7	162.2	148.4	116.4	71.8
G72.0	86.9	148.1	165.2	166.3	169.1	167.4	162.9	149.0	116.8	73.1
G73.0	87.4	148.8	166.2	166.9	169.6	167.9	163.5	149.6	117.1	74.4

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Ltd. (Kunshan) GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 2)

Unit: cd

G\C	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5
G74.0	87.8	149.3	166.9	167.5	170.1	168.4	164.1	150.1	117.6	75.5
G75.0	88.2	150.1	167.5	168.0	170.6	168.9	164.5	150.5	117.9	76.5
G76.0	88.7	150.5	168.1	168.4	171.0	169.3	165.1	150.8	118.1	77.4
G77.0	89.0	151.0	168.7	168.8	171.3	169.6	165.5	151.1	118.3	78.3
G78.0	89.3	151.4	169.1	169.1	171.6	169.9	165.8	151.3	118.4	79.1
G79.0	89.7	151.8	169.5	169.3	172.0	170.1	166.1	151.5	118.5	79.8
G80.0	90.0	152.0	169.9	169.6	172.1	170.2	166.3	151.6	118.5	80.4
G81.0	90.2	152.2	170.2	169.8	172.2	170.3	166.3	151.7	118.5	81.0
G82.0	90.4	152.4	170.5	169.9	172.2	170.3	166.4	151.8	118.6	81.4
G83.0	90.6	152.6	170.7	169.9	172.2	170.3	166.5	151.8	118.5	81.7
G84.0	90.7	152.6	170.8	169.9	172.1	170.2	166.4	151.8	118.4	81.9
G85.0	90.9	152.8	170.9	169.8	172.0	170.0	166.5	151.7	118.4	81.8
G86.0	91.0	152.7	170.9	169.5	171.8	169.8	166.4	151.5	118.1	81.7
G87.0	91.1	152.7	170.9	169.3	171.6	169.5	166.2	151.3	117.9	81.5
G88.0	91.1	152.6	170.7	169.1	171.4	169.3	166.0	151.1	117.7	81.3
G89.0	91.1	152.4	170.6	168.8	171.1	169.0	165.8	150.9	117.5	81.1
G90.0	91.1	152.2	170.5	168.5	170.7	168.7	165.5	150.6	117.4	80.9
G91.0	91.0	152.0	170.2	168.2	170.3	168.3	165.2	150.4	117.3	80.9
G92.0	90.9	151.7	170.1	167.8	169.9	167.7	164.9	150.2	117.2	80.8
G93.0	90.9	151.5	169.8	167.4	169.5	167.4	164.7	150.0	117.1	80.1
G94.0	91.0	151.3	169.6	167.0	169.1	167.0	164.4	149.8	117.0	79.3
G95.0	91.1	151.2	169.3	166.6	168.7	166.6	164.1	149.6	116.9	78.1
G96.0	91.0	151.0	169.1	166.2	168.3	166.2	163.8	149.2	116.7	77.1
G97.0	91.1	150.8	168.8	165.8	167.7	165.7	163.3	148.9	116.5	76.0
G98.0	91.1	150.6	168.4	165.4	167.2	165.1	162.9	148.5	116.3	74.8
G99.0	91.0	150.3	168.0	164.8	166.7	164.6	162.5	148.0	116.1	73.5
G100.0	90.9	149.8	167.6	164.2	166.1	163.9	161.9	147.5	115.7	72.2
G101.0	90.8	149.4	167.2	163.6	165.4	163.2	161.3	147.0	115.4	71.0
G102.0	90.7	149.0	166.6	162.9	164.7	162.4	160.7	146.4	115.0	69.9
G103.0	90.6	148.4	166.0	162.2	163.9	161.6	160.0	145.8	114.5	68.9
G104.0	90.3	147.9	165.3	161.5	163.0	160.8	159.1	145.1	114.1	67.7
G105.0	90.1	147.3	164.7	160.6	162.1	159.8	158.3	144.4	113.6	66.7
G106.0	89.9	146.7	163.9	159.7	161.2	158.8	157.5	143.6	113.1	65.6
G107.0	89.7	146.0	163.1	158.8	160.2	157.8	156.5	142.9	112.6	64.6
G108.0	89.4	145.3	162.3	157.8	159.1	156.7	155.6	142.0	111.9	63.5
G109.0	89.1	144.5	161.4	156.6	158.1	155.6	154.6	141.0	111.2	62.4
G110.0	88.8	143.6	160.5	155.6	156.8	154.5	153.5	140.1	110.5	61.4

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) (Kunshan) GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 3)

Unit: cd

G\C	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5
G111.0	88.4	142.7	159.3	154.4	155.7	153.3	152.3	139.1	109.7	60.3
G112.0	88.0	141.8	158.2	153.2	154.4	152.0	151.2	137.9	109.0	59.1
G113.0	87.6	140.9	157.2	152.0	153.0	150.8	150.0	136.8	108.2	58.0
G114.0	87.2	139.9	156.0	150.6	151.7	149.3	148.7	135.7	107.3	56.6
G115.0	86.7	138.7	154.7	149.3	150.3	147.7	147.4	134.5	106.4	54.9
G116.0	86.3	137.6	153.5	147.8	148.9	146.3	146.0	133.4	105.5	53.2
G117.0	85.8	136.5	152.1	146.4	147.4	144.8	144.6	132.1	104.6	51.1
G118.0	85.3	135.3	150.8	144.9	145.6	143.2	143.1	130.9	103.6	49.2
G119.0	84.8	134.1	149.3	143.4	144.0	141.6	141.7	129.5	102.7	47.2
G120.0	84.3	132.8	147.8	141.8	142.4	139.9	140.2	128.1	101.7	45.1
G121.0	83.7	131.5	146.2	140.2	140.7	138.2	138.5	126.7	100.6	42.9
G122.0	83.1	130.0	144.8	138.5	139.0	136.6	137.0	125.1	99.4	40.8
G123.0	82.6	128.7	143.1	136.8	137.2	134.7	135.3	123.7	98.3	38.6
G124.0	82.0	127.3	141.4	135.1	135.5	132.9	133.4	122.2	97.2	36.5
G125.0	81.3	125.8	139.7	133.2	133.7	131.1	131.7	120.6	96.1	34.1
G126.0	80.7	124.3	138.0	131.4	131.8	129.2	130.0	119.1	94.9	32.0
G127.0	80.0	122.8	136.2	129.6	129.7	127.3	128.2	117.4	93.6	30.0
G128.0	79.3	121.1	134.4	127.8	127.8	125.2	126.3	115.8	92.4	28.8
G129.0	78.6	119.5	132.5	125.6	125.8	123.2	124.4	114.1	91.2	27.7
G130.0	77.8	117.9	130.6	123.7	123.5	121.2	122.5	112.2	89.9	26.8
G131.0	77.1	116.1	128.7	121.8	121.5	119.0	120.6	110.5	88.5	25.9
G132.0	76.4	114.3	126.7	119.8	119.4	117.1	118.6	108.7	87.1	25.3
G133.0	75.5	112.6	124.7	117.8	117.2	114.8	116.6	106.9	85.8	24.8
G134.0	74.6	110.9	122.5	115.7	115.1	112.7	114.4	104.8	84.4	24.3
G135.0	73.8	108.8	120.4	113.7	112.8	110.5	112.3	103.0	83.0	23.8
G136.0	73.1	107.1	118.2	111.6	110.6	108.1	110.1	101.2	81.4	23.4
G137.0	72.4	105.2	116.2	109.4	108.4	105.8	108.0	99.1	80.0	23.0
G138.0	71.9	103.4	114.0	107.2	106.0	103.5	105.8	97.1	78.5	22.6
G139.0	71.5	101.6	111.8	105.0	103.7	101.2	103.6	95.1	77.0	22.2
G140.0	71.1	99.6	109.4	102.9	101.2	98.7	101.4	93.1	75.5	21.8
G141.0	70.8	97.8	107.2	100.4	98.8	96.3	99.0	90.8	73.9	21.4
G142.0	70.5	95.9	104.9	98.2	96.4	94.0	96.8	88.8	72.4	21.0
G143.0	70.0	93.8	102.7	95.9	93.8	91.4	94.5	86.7	70.8	20.5
G144.0	69.4	91.8	100.1	93.7	91.4	89.0	92.2	84.6	69.2	20.0
G145.0	68.7	89.9	97.8	91.3	88.9	86.6	89.8	82.4	67.7	19.5
G146.0	67.8	88.0	95.5	88.7	86.2	84.2	87.3	80.1	65.9	19.0
G147.0	67.0	85.9	93.0	86.4	83.7	81.6	84.9	78.0	64.3	18.5

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Ltd. GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 4)

Unit: cd

G\C	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5
G148.0	65.9	83.9	90.5	83.6	81.1	79.3	82.2	75.8	62.7	18.0
G149.0	64.8	81.8	88.0	81.2	78.6	76.9	79.8	73.4	61.0	17.5
G150.0	63.8	79.6	85.5	78.7	75.7	74.5	77.2	70.9	59.2	17.1
G151.0	62.7	77.7	82.9	76.1	73.3	72.2	74.6	68.4	57.5	16.7
G152.0	61.5	75.4	80.4	73.6	70.4	69.7	71.9	65.9	55.4	16.2
G153.0	60.0	73.1	77.5	70.9	67.6	67.4	69.0	63.0	53.1	15.7
G154.0	58.7	70.3	74.8	68.3	64.9	64.9	66.1	60.3	50.5	15.3
G155.0	56.9	67.7	71.8	65.7	62.2	62.6	63.1	57.5	48.0	14.9
G156.0	54.7	65.1	68.9	62.8	59.5	60.2	59.8	54.6	45.5	14.6
G157.0	52.4	62.4	66.0	60.1	56.6	57.7	56.6	51.6	42.8	14.3
G158.0	49.8	59.6	63.0	57.3	53.9	55.0	53.4	48.3	40.2	14.0
G159.0	47.5	56.5	59.7	54.5	50.6	52.0	50.3	45.3	37.3	13.6
G160.0	44.9	53.6	56.6	51.3	47.5	49.0	46.7	41.8	34.5	13.2
G161.0	42.5	50.5	53.3	48.2	44.2	45.4	43.2	38.6	31.7	12.7
G162.0	39.7	47.2	49.5	44.6	40.4	42.1	39.7	35.4	29.0	12.1
G163.0	37.1	44.1	45.9	41.1	36.8	38.6	36.0	32.0	26.1	11.3
G164.0	34.4	41.0	42.3	37.2	33.2	34.7	31.6	28.5	23.3	10.5
G165.0	31.6	37.4	38.7	33.7	29.3	30.9	27.5	24.7	20.4	9.4
G166.0	28.9	34.1	34.8	29.5	25.9	26.6	23.1	21.0	17.2	8.0
G167.0	26.1	30.3	30.8	25.7	22.2	22.1	19.2	17.2	14.0	6.7
G168.0	23.0	26.5	26.9	22.0	18.6	17.8	15.0	14.0	11.1	5.4
G169.0	19.7	22.8	22.7	18.1	15.5	13.8	11.2	10.6	8.1	4.2
G170.0	16.6	18.9	18.5	14.5	12.5	9.5	7.7	7.4	5.6	3.0
G171.0	13.5	14.9	14.4	11.2	9.5	6.3	4.6	4.6	3.7	2.0
G172.0	10.8	11.2	10.3	8.3	6.7	3.8	2.7	2.6	2.2	1.3
G173.0	7.8	7.6	6.9	5.6	4.1	1.8	1.5	1.5	1.3	0.7
G174.0	5.2	4.7	4.2	3.5	2.2	0.9	0.8	0.8	0.6	0.3
G175.0	3.5	2.9	2.2	1.5	0.9	0.6	0.7	0.5	0.3	0.0
G176.0	2.0	1.4	0.9	0.6	0.5	0.6	0.4	0.3	0.1	0.0
G177.0	0.8	0.5	0.3	0.3	0.4	0.5	0.2	0.2	0.0	0.0
G178.0	0.1	0.0	0.1	0.0	0.2	0.3	0.1	0.0	0.0	0.0
G179.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0
G180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 5)

Unit: cd

G\C	C225.0	C247.5	C270.0	C292.5	C315.0	C337.5	C360.0			
G0.0	17.7	17.7	17.7	17.7	17.7	17.7	17.7			
G1.0	16.1	15.2	14.7	14.8	15.4	16.3	17.2			
G2.0	14.5	12.4	11.7	11.9	13.2	15.0	16.9			
G3.0	13.1	10.1	8.8	9.2	10.9	14.1	17.0			
G4.0	11.8	7.8	6.1	6.6	9.0	13.2	17.4			
G5.0	10.4	5.7	3.9	4.3	7.2	12.7	18.0			
G6.0	8.9	3.9	2.2	2.7	5.8	12.2	18.8			
G7.0	7.2	2.4	1.3	1.6	4.4	11.9	19.8			
G8.0	5.3	1.4	0.8	0.9	3.2	11.6	21.4			
G9.0	3.7	0.8	0.5	0.6	2.3	11.2	22.9			
G10.0	2.6	0.6	0.4	0.5	1.6	10.5	24.5			
G11.0	1.7	0.6	0.3	0.4	1.0	9.6	26.0			
G12.0	1.2	0.8	0.4	0.4	0.7	8.5	27.5			
G13.0	1.1	1.1	0.4	0.4	0.7	7.4	29.1			
G14.0	1.4	1.4	0.4	0.4	1.0	6.1	30.5			
G15.0	2.0	1.8	0.4	0.4	1.3	4.8	32.1			
G16.0	2.7	2.1	0.4	0.4	1.9	3.9	33.6			
G17.0	3.5	2.3	0.4	0.4	2.5	3.2	35.1			
G18.0	4.5	2.4	0.7	0.4	3.1	2.5	36.4			
G19.0	5.5	2.5	1.4	0.7	3.8	2.0	37.9			
G20.0	6.5	3.1	1.9	1.2	4.4	1.8	39.3			
G21.0	7.5	3.7	2.2	1.7	5.1	1.9	40.6			
G22.0	8.6	4.1	2.4	2.1	5.6	2.1	42.1			
G23.0	9.5	4.4	2.5	2.4	6.1	2.6	43.5			
G24.0	10.2	4.5	2.5	2.5	6.9	3.2	44.8			
G25.0	11.1	4.5	2.3	2.6	7.9	4.1	46.0			
G26.0	12.6	4.5	2.2	2.5	8.7	5.0	47.3			
G27.0	13.7	4.3	2.0	2.4	9.4	6.0	48.5			
G28.0	14.6	4.2	1.9	2.3	10.1	7.1	49.8			
G29.0	15.3	4.0	1.7	2.1	10.5	8.2	50.9			
G30.0	15.9	3.8	1.6	2.0	10.9	9.5	52.0			
G31.0	16.5	3.7	1.4	1.8	11.2	10.8	53.2			
G32.0	16.9	3.5	1.2	1.7	11.4	12.2	54.4			
G33.0	17.3	3.4	1.1	1.6	11.5	13.7	55.5			
G34.0	17.6	3.3	1.0	1.5	11.7	15.1	56.5			
G35.0	18.0	3.1	0.9	1.4	11.9	16.5	57.6			
G36.0	18.4	3.0	0.8	1.3	12.0	17.8	58.7			

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 6)

Unit: cd

G\C	C225.0	C247.5	C270.0	C292.5	C315.0	C337.5	C360.0			
G37.0	18.7	2.9	0.7	1.2	12.2	19.1	59.8			
G38.0	19.1	2.8	0.6	1.1	12.3	20.9	60.9			
G39.0	19.4	2.7	0.5	1.1	12.5	22.8	61.9			
G40.0	19.8	2.7	0.5	1.0	12.6	24.6	62.9			
G41.0	20.2	2.6	0.4	0.9	12.7	26.2	63.9			
G42.0	20.5	2.5	0.3	0.9	12.9	27.7	64.8			
G43.0	20.9	2.4	0.3	0.9	13.1	28.9	65.7			
G44.0	21.2	2.4	0.3	0.8	13.2	29.9	66.6			
G45.0	21.6	2.3	0.3	0.8	13.3	31.0	67.4			
G46.0	21.9	2.3	0.3	0.8	13.4	31.9	68.4			
G47.0	22.1	2.3	0.3	0.8	13.6	32.8	69.2			
G48.0	22.5	2.3	0.3	0.8	13.8	33.7	70.0			
G49.0	22.8	2.3	0.2	0.8	13.9	34.6	70.7			
G50.0	23.1	2.3	0.3	0.8	14.1	35.6	71.5			
G51.0	23.3	2.3	0.3	0.9	14.3	36.6	72.3			
G52.0	23.6	2.3	0.3	0.9	14.4	37.7	73.0			
G53.0	23.8	2.3	0.3	0.9	14.6	38.8	73.7			
G54.0	24.1	2.3	0.3	0.9	14.8	40.0	74.5			
G55.0	24.3	2.3	0.3	0.9	14.9	41.1	75.3			
G56.0	24.5	2.4	0.3	0.9	15.2	42.3	76.0			
G57.0	24.7	2.4	0.4	0.9	15.3	43.4	76.9			
G58.0	24.9	2.4	0.3	0.9	15.5	44.6	77.6			
G59.0	25.0	2.4	0.4	1.0	15.6	45.8	78.3			
G60.0	25.2	2.4	0.3	1.0	15.8	47.0	79.1			
G61.0	25.4	2.4	0.4	1.0	16.0	48.2	79.8			
G62.0	25.5	2.4	0.4	1.1	16.1	49.3	80.6			
G63.0	25.6	2.4	0.4	1.0	16.3	50.6	81.3			
G64.0	25.7	2.5	0.4	1.1	16.4	51.7	82.0			
G65.0	25.8	2.5	0.4	1.1	16.6	52.9	82.7			
G66.0	25.9	2.5	0.4	1.2	16.7	54.0	83.5			
G67.0	26.0	2.4	0.4	1.2	16.8	55.3	84.1			
G68.0	26.2	2.4	0.4	1.2	16.9	56.5	84.7			
G69.0	26.2	2.5	0.5	1.2	17.1	57.6	85.3			
G70.0	26.3	2.5	0.5	1.2	17.2	58.7	85.8			
G71.0	26.3	2.5	0.4	1.2	17.3	59.7	86.4			
G72.0	26.4	2.5	0.5	1.3	17.4	60.7	86.9			
G73.0	26.4	2.5	0.5	1.3	17.5	61.7	87.4			

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 7)

Unit: cd

G\C	C225.0	C247.5	C270.0	C292.5	C315.0	C337.5	C360.0			
G74.0	26.5	2.5	0.5	1.3	17.6	62.6	87.8			
G75.0	26.5	2.5	0.5	1.4	17.7	63.5	88.2			
G76.0	26.5	2.6	0.6	1.4	17.7	64.3	88.7			
G77.0	26.6	2.5	0.5	1.4	17.8	65.1	89.0			
G78.0	26.6	2.5	0.6	1.4	17.9	65.8	89.3			
G79.0	26.6	2.6	0.6	1.5	18.0	66.5	89.7			
G80.0	26.6	2.6	0.6	1.5	18.1	67.1	90.0			
G81.0	26.6	2.6	0.6	1.6	18.1	67.6	90.2			
G82.0	26.5	2.7	0.7	1.6	18.1	68.1	90.4			
G83.0	26.5	2.6	0.7	1.6	18.2	68.5	90.6			
G84.0	26.4	2.6	0.7	1.6	18.2	68.9	90.7			
G85.0	26.3	2.6	0.7	1.6	18.2	69.1	90.9			
G86.0	26.2	2.6	0.7	1.7	18.2	69.3	91.0			
G87.0	26.2	2.6	0.7	1.7	18.2	69.3	91.1			
G88.0	26.0	2.6	0.7	1.7	18.2	69.2	91.1			
G89.0	25.9	2.6	0.7	1.7	18.2	69.1	91.1			
G90.0	25.8	2.5	0.7	1.7	18.2	69.0	91.1			
G91.0	25.8	2.5	0.7	1.7	18.2	68.9	91.0			
G92.0	25.7	2.5	0.7	1.7	18.1	68.7	90.9			
G93.0	25.6	2.6	0.7	1.7	18.1	68.6	90.9			
G94.0	25.6	2.6	0.7	1.7	18.2	68.6	91.0			
G95.0	25.3	2.5	0.7	1.8	18.2	68.2	91.1			
G96.0	24.9	2.6	0.8	1.8	18.2	67.6	91.0			
G97.0	24.6	2.5	0.8	1.8	18.0	66.9	91.1			
G98.0	24.3	2.5	0.8	1.8	17.8	66.1	91.1			
G99.0	23.9	2.4	0.8	1.8	17.6	65.2	91.0			
G100.0	23.6	2.4	0.7	1.8	17.4	64.4	90.9			
G101.0	23.1	2.4	0.8	1.7	17.2	63.4	90.8			
G102.0	22.7	2.4	0.8	1.8	17.0	62.5	90.7			
G103.0	22.3	2.3	0.7	1.7	16.7	61.5	90.6			
G104.0	21.9	2.2	0.8	1.7	16.4	60.5	90.3			
G105.0	21.4	2.2	0.8	1.7	16.1	59.4	90.1			
G106.0	20.9	2.2	0.7	1.6	15.8	58.5	89.9			
G107.0	20.5	2.0	0.7	1.6	15.6	57.7	89.7			
G108.0	20.0	2.0	0.8	1.6	15.2	56.8	89.4			
G109.0	19.5	1.9	0.7	1.6	14.9	56.0	89.1			
G110.0	19.0	1.8	0.7	1.5	14.5	55.1	88.8			

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector:

Candlepower Table (Continue 8)

Unit: cd

G\C	C225.0	C247.5	C270.0	C292.5	C315.0	C337.5	C360.0			
G111.0	18.6	1.7	0.7	1.5	14.2	54.3	88.4			
G112.0	18.4	1.6	0.6	1.5	13.9	53.5	88.0			
G113.0	18.2	1.6	0.5	1.4	13.5	52.6	87.6			
G114.0	18.0	1.6	0.6	1.3	13.4	51.7	87.2			
G115.0	17.9	1.5	0.6	1.3	13.3	50.9	86.7			
G116.0	17.7	1.4	0.5	1.2	13.3	50.1	86.3			
G117.0	17.6	1.5	0.6	1.2	13.2	49.3	85.8			
G118.0	17.5	1.7	0.5	1.2	13.2	48.4	85.3			
G119.0	17.4	2.0	0.5	1.4	13.1	47.7	84.8			
G120.0	17.3	2.3	0.7	1.6	13.1	46.7	84.3			
G121.0	17.2	2.6	1.0	1.9	13.2	45.5	83.7			
G122.0	17.1	2.8	1.2	2.1	13.2	44.2	83.1			
G123.0	17.1	3.2	1.5	2.3	13.2	42.6	82.6			
G124.0	16.9	3.6	1.7	2.6	13.3	41.1	82.0			
G125.0	16.9	3.9	2.0	2.8	13.3	39.6	81.3			
G126.0	16.8	4.3	2.2	3.1	13.4	38.0	80.7			
G127.0	16.7	4.7	2.4	3.4	13.4	36.3	80.0			
G128.0	16.7	5.1	2.8	3.6	13.5	34.5	79.3			
G129.0	16.7	5.5	3.1	4.0	13.6	32.7	78.6			
G130.0	16.5	6.0	3.4	4.4	13.7	31.0	77.8			
G131.0	16.1	6.4	3.9	4.8	13.8	29.3	77.1			
G132.0	15.4	6.8	4.4	5.2	13.9	27.3	76.4			
G133.0	14.7	7.2	4.8	5.6	13.9	25.6	75.5			
G134.0	13.8	7.6	5.2	6.1	13.9	23.8	74.6			
G135.0	12.9	8.0	5.6	6.5	13.6	22.1	73.8			
G136.0	12.1	8.5	6.1	6.9	13.0	20.8	73.1			
G137.0	11.1	9.0	6.6	7.3	12.4	19.8	72.4			
G138.0	10.1	9.3	7.1	7.8	11.6	19.0	71.9			
G139.0	9.1	9.7	7.5	8.2	10.9	18.4	71.5			
G140.0	8.1	9.5	7.9	8.6	10.1	17.9	71.1			
G141.0	7.1	9.1	8.4	8.6	9.3	17.5	70.8			
G142.0	6.1	8.7	8.6	8.4	8.5	17.2	70.5			
G143.0	5.0	8.1	8.4	8.0	7.6	17.0	70.0			
G144.0	4.0	7.6	8.0	7.5	6.7	16.8	69.4			
G145.0	3.0	6.9	7.7	7.0	5.8	16.6	68.7			
G146.0	1.9	6.3	7.2	6.5	4.9	16.4	67.8			
G147.0	1.4	5.5	6.7	6.0	3.9	16.2	67.0			

C Plane (°):0.0-360.0: 22.5

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan)

Test Type: TYPE C

Temperature: 25.1 'C

Operator: Jade

Gamma Plane (°):0.0-180.0:1.0

Test Software: GPM-1900

Distance: 14.210 m

Humidity: 49

Inspector:

Candlepower Table (Continue 9)

Unit: cd

G\C	C225.0	C247.5	C270.0	C292.5	C315.0	C337.5	C360.0			
G148.0	1.1	4.8	6.0	5.3	3.0	16.0	65.9			
G149.0	1.1	4.0	5.5	4.7	2.1	15.9	64.8			
G150.0	1.3	3.3	4.7	4.0	1.2	15.7	63.8			
G151.0	1.6	2.5	4.0	3.3	1.0	15.4	62.7			
G152.0	1.9	1.7	3.2	2.6	1.0	15.2	61.5			
G153.0	2.2	1.0	2.6	1.9	1.1	14.7	60.0			
G154.0	2.5	0.3	1.8	1.2	1.3	14.3	58.7			
G155.0	2.9	0.3	1.1	0.5	1.6	13.6	56.9			
G156.0	3.2	0.4	0.5	0.5	2.0	12.9	54.7			
G157.0	3.4	0.5	0.3	0.4	2.3	12.3	52.4			
G158.0	3.6	0.6	0.3	0.4	2.5	11.8	49.8			
G159.0	3.7	0.7	0.3	0.5	2.6	11.3	47.5			
G160.0	3.8	0.7	0.3	0.6	2.8	10.9	44.9			
G161.0	3.8	0.8	0.3	0.7	2.9	10.5	42.5			
G162.0	3.8	0.8	0.3	0.7	3.0	10.2	39.7			
G163.0	3.7	0.9	0.3	0.8	3.0	9.9	37.1			
G164.0	3.6	0.9	0.3	0.9	3.0	9.5	34.4			
G165.0	3.2	0.9	0.3	0.9	3.0	9.1	31.6			
G166.0	2.7	0.8	0.3	0.8	3.0	8.6	28.9			
G167.0	2.2	0.7	0.3	0.7	2.8	7.9	26.1			
G168.0	1.8	0.6	0.2	0.6	2.4	7.2	23.0			
G169.0	1.2	0.5	0.2	0.4	2.0	6.3	19.7			
G170.0	0.8	0.4	0.2	0.4	1.6	5.4	16.6			
G171.0	0.5	0.3	0.3	0.2	1.3	4.4	13.5			
G172.0	0.2	0.2	0.2	0.2	0.9	3.5	10.8			
G173.0	0.1	0.1	0.2	0.2	0.7	2.7	7.8			
G174.0	0.0	0.1	0.2	0.2	0.4	1.9	5.2			
G175.0	0.0	0.0	0.1	0.2	0.2	1.3	3.5			
G176.0	0.0	0.0	0.1	0.1	0.1	0.6	2.0			
G177.0	0.0	0.0	0.1	0.1	0.1	0.2	0.8			
G178.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1			
G179.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0			
G180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			

C Plane (°):0.0-360.0: 22.5

Gamma Plane (°):0.0-180.0:1.0

Test Lab: Bay Area Compliance Laboratories Corp (Kunshan) Test Device: GPM-1900

Test Type: TYPE C

Distance: 14.210 m

Temperature: 25.1 'C

Humidity: 49

Operator: Jade

Inspector: